



"Miami-Dade County Product Control Approved"
 Hurricane Shutters and FBC Decorative Shutters
 www.bsishutters.com Email: bsishutters@juno.com
 Patent No: U.S. 6,996,934 B2 & 7,131,480 B2
 2841 Shoreview Drive, Naples FL 34112
 Office 239-774-2025 Fax 239-774-9483

Miami-Dade County Product Control Approved, Bahama & Colonial Shutters, TAS 201, 202, 203, NOA's @ www.miamidade.gov/building
 FBC Engineered & Certified Decorative Shutters, TAS 202 & ASTM E330-Uniform Static, ASCE 7-10 Wind Loads - Components & Cladding

BSI Decorative & Hurricane Shutter Product Lines

Decorative Shutters by BSI: 2010 FBC Decorative Shutter Systems, TAS 202 & ASTM E330-Uniform Static, ASCE 7-10 Wind Loads - Components & Cladding

Fixed Decorative Shutters & Panels

Fixed Decorative Bahama Shutter Attached flat to the building to enhance the architectural design of large areas, no hinges, and they do not projection away from the building

Fixed Decorative Colonial Shutter Attached flat to the building next to a window opening for architectural enhancement of the opening, no hinges, and they do not project away form the building

Fixed Decorative Shutter Panel Attach in an opening at the head (top) and/or jambs (sides) optional - depends on the size of the shutter, no hinges, and they do not projection away from the building

Hinged Decorative Shutters

Hinged Decorative Bahama Hinges are located at the head (top) of the shutter with hold open/close bracket @ sill (bottom) or jambs (sides)

Hinged Decorative Colonial Hinges are located at the jambs (sides) of the shutter with hold open/close bracket @ head (top) and/or sill (bottom)

Decorative Combinations

We can design almost any combination of shutter assembly you may desire, call for details

Decorative Shutter Frame Profile

1" Frame (standard) Finished frame profile is 2" (1" frame plus 1" weld guide = 2")

2" Frame (additional fee) Finished frame profile is 3" (2" frame plus 1" weld guide = 3")

Material: Aluminum; shutters, panels, hinges, hinge pins, and washers. Fasteners; Stainless steel and hardened steel. Washers; Aluminum and stainless steel. Powder coatings; RAL or equal

Hurricane Shutters by BSI: Miami-Dade County Product Control Approved

Bahama Shutters Build out Frame with Hurricane Bahama Shutter - hinges on the top (head)
 NOA #12-0906.05, Expiration Date 11/28/2017, Design Pressures +84.7 psf and -113.3 psf

Colonial Shutters Build out Frame with Hurricane Colonial Shutter - hinges on the sides (jambs)
 NOA #12-0927.01, Expiration Date 11/28/1017, Design Pressures +84.7 psf and -113.3 psf

Bahama over Colonial Shutters Build out Frame with Hurricane Bahama over Hurricane Colonial Shutter
 Bahama hinges on top (head) and Colonial hinges on the sides (jambs)

NOA # 12-0906.05 & 12-0927.01, Expiration Date 11/28/2017, Design Pressure +77 psf and -77 psf

Material: Aluminum; Build out frame, shutters, hinges, hinge pins, and washers. Fasteners; Stainless steel and hardened steel. Washers; Aluminum and stainless steel. Powder coatings; RAL or equal